Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-23.　(Canceled)

24.　(Currently Amended) A control method of controlling an image forming device, comprising the steps of:

a) receiving image information from an external device;

b) storing the image information in a memory;

c) after storing the image information in the memory, outputting to the cellular phone a signal indicating that the image information is stored in the memory, wherein an instruction is received from the cellular phone after the signal is outputted;

~~c) receiving an~~ d) receiving the instruction to print the image information from a cellular phone after storing the image information in the memory; and

~~d) executing~~ e) executing printing of the image information in accordance with the received instruction.

25-27. (Canceled)

28.　(Previously Presented) The control method according to claim 24, wherein the instruction from the cellular phone is an e-mail message transmitted in an e-mail format.

29.　(Previously Presented) The control method according to claim 24, wherein the instruction from the cellular phone is transmitted via a Web service.

30.　(Previously Presented) The control method according to claim 29, wherein the image forming device has a URL, and the instruction is transmitted to the image forming device when the cellular phone accesses the URL.

31.　(Currently Amended) The control method according to ~~claim 27,~~ claim 24, wherein the signal is transmitted via an audio guidance.

-2-

32.   (Previously Presented) The control method according to claim 31, wherein the instruction from the cellular phone is transmitted in response to the audio guidance.

33.   (Currently Amended) The control method according to ~~claim 27,~~ claim 24, further comprising the steps of:

f) detecting an e-mail address from the image information stored in the memory; and

g) sending an e-mail message to the detected e-mail address, the e-mail message urging a user of the cellular phone to transmit the instruction to the image forming device.

34.   (Currently Amended) The control method according to ~~claim 27,~~ claim 24, further comprising a step of:

h) judging whether the image information is confidential, wherein if the image information is confidential, executing printing when the instruction includes a predetermined code.

35.   (Currently Amended) The control method according to ~~claim 27,~~ claim 24, wherein the signal is output via an e-mail message capable of being received by the cellular phone, and, in response to the signal, the instruction is sent to the image forming device in an e-mail format.

36.   (Currently Amended) The control method according to ~~claim 27,~~ claim 24, wherein the signal identifies a URL associated with the image forming device, and the instruction is sent to the image forming device from the cellular phone by accessing the URL.

37.   (Previously Presented) The control method according to claim 36, wherein the URL includes a link to a page to instruct the execution of the printing, and the instruction is sent to the image forming device from the cellular phone by accessing the link.

38.   (Currently Amended) A printing system comprising:

an image forming device including:

a receiving unit that receives an image information from an external

device;

a memory in which the image information is stored;

an output unit that outputs a signal to a cellular phone after the image

information is stored in the memory;

a printing unit that executes printing of the image information; and

a controller that controls the printing unit to execute the printing; and

a-the cellular phone including:

a communication unit that transmits an instruction to the image forming device

after the image information is stored in the memory of the image forming device, and the

communication unit transmits the instruction to the image forming device after receiving the

signal output from the output unit of the image forming device, wherein the controller

controls the printing unit to execute the printing when the instruction is transmitted from the

cellular phone.

39.   (Canceled)

40.   (Previously Presented) The printing system according to claim 38, wherein the

instruction from the cellular phone is an e-mail message transmitted in an e-mail format.

41.   (Previously Presented) The printing system according to claim 38, wherein the

instruction from the cellular phone is transmitted via a Web service.

42.   (Previously Presented) The printing system according to claim 41, wherein the

image forming device has a URL associated therewith, and the instruction is transmitted to

the image forming device when the cellular phone accesses the URL.

43.   (Currently Amended) The printing system according to ~~claim 39,~~ claim 38, wherein the signal is transmitted via an audio guidance.

44.   (Previously Presented) The printing system according to claim 43, wherein the instruction from the cellular phone is transmitted in response to the audio guidance.

45.   (Currently Amended) The printing system according to ~~claim 39,~~ claim 38, further comprising an e-mail address detector for detecting an e-mail address from the image information stored in the memory, wherein an e-mail message is sent to the detected e-mail address, the e-mail message urging a user of the cellular phone to transmit the instruction to the image forming device.

46.   (Currently Amended) The printing system according to ~~claim 39,~~ claim 38, wherein the image forming device determines whether the image information is confidential and the printing is executed when the instruction including a predetermined code is transmitted from the cellular phone.

47.   (Currently Amended) The printing system according to ~~claim 39,~~ claim 38, wherein the signal is output via an e-mail message to a detected e-mail address such that the e-mail message can be received via the cellular phone, and, in response to the e-mail message, the instruction is sent to the image forming device in an e-mail format.

48.   (Currently Amended) The printing system according to ~~claim 39,~~ claim 38, wherein the signal identifies a URL and the signal is sent to a detected e-mail address, and the instruction is sent to the image forming device from the cellular phone by accessing the URL.

49.   (Previously Presented) The printing system according to claim 48, wherein the URL includes a link to a page to instruct execution of the printing, and the instruction is sent to the image forming device from the cellular phone by accessing the link.